=> fil reg'
FILE 'REGISTRY' ENTERED AT 09:35:10 ON 20 OCT 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 19 OCT 2006 HIGHEST RN 910855-26-4 DICTIONARY FILE UPDATES: 19 OCT 2006 HIGHEST RN 910855-26-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=> d sta que 161 L31 34148 SEA FILE=REGISTRY ABB=ON PLU=ON NC2NC2-C6/ES AND NR>=4 L55 STR





NODE ATTRIBUTES: DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC I

NUMBER OF NODES IS 20

STEREO ATTRIBUTES: NONE

L57 2033 SEA FILE=REGISTRY SUB=L31 SSS FUL L55

L58 STR

> Hy—Hy @13 12

VAR G1=3/6/8/11/13 NODE ATTRIBUTES: AN 1995:475962 HCAPLUS

DN 122:277722

TI Organic electroluminescent device having metal-quinoxaline mixed cathode

IN Nakamura, Hiroaki; Hironaka, Yoshio; Kusumoto, Tadashi

PA Idemitsu Kosan Co, Japan

SO Jpn. Kokai Tokkyo Koho, 24 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

GI

***************************************					
•	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07026255	A2	19950127	JP 1993-173402	19930713 <
PRAI	JP 1993-173402		19930713	<	
os	MARPAT 122:277722		,		

The device has a mixed cathode containing an electron-injecting metal and a quinoxaline derivative I (Z = none, O, SO2, S, CH:CH, CO, CMe2, C(CF3)2, naphthalene-1,4-diyl, naphthalene-3,7-diyl, (CH2)n, Q, (OC6H4)nO) (X, Y = H, C1-6 alkyl, C6-18 aryl, C3-12 heterocyclic group; aryl or heterocyclic group may be substituted with NO2, NH2, cyano, OH, CO2H, methylthio, ethylthio, halo, C1-6 alkoxy, C1-6 alkoxycarbonyl, C1-8 dialkylamino, C2-12 dialkyleneoxy, or C1-6 alkylene(di)oxy; (n = 1-3). The device showed high luminescent efficiency and stability.

RL: DEV (Device component use); PNU (Preparation, unclassified); PREP (Preparation); USES (Uses)

(electroluminescent device having metal-quinoxaline mixed cathode with high luminescent efficiency)

RN 81294-31-7 HCAPLUS

CN 6,6'-Biquinoxaline, 2,2',3,3'-tetra-2-pyridinyl- (9CI) (CA INDEX NAME)

L71 ANSWER 7 OF 10 HCAPLUS COPYRIGHT 2006 ACS on STN

AN 1995:408404 HCAPLUS

DN 122:251631

TI Organic electroluminescence device

IN Hironaka, Yoshio; Shoji, Hiroshi; Hosokawa, Chicho